

Sl no	Description of work	No	Dimension L B D	Qty	unit	Rate Rs Ps	Amount Rs ps
	PEE / 17 / TC 329 / BVN / 00 / 06 / 02 / S LED NO.4			1	Each		
	PEE / 17 / TC 329 / BVN / 00 / 06 / 3 / S LED			1	Each		
	PEE / 17 / TC 329 / BVN / 00 / 06 / 04 / S LED			1	Each		
	PEE / 17 / TC 329 / BVN / 00 / 06 / 05 / S LED			1	Each		
	PEE / 17 / TC 329 / BVN / 00 / 06 / 096 / S LED.			1	Each		
	PEE / 17 / TC03 / PP / 00 / 1M / 01 / F / LED			1	Each		
	Total Qty			106	Each	31250.00	3312500.0
	110 Watts						
	JP PARK Main Gate Opp Road street lights						
	Chowdeshwari Bus stand to Shankar Nag Railway Gate opp JP Park Main Gate -LHS			30	Each		
	Chowdeshwari Bus stand to Shankar Nag Railway Gate opp JP Park Main Gate -RHS			30	Each		
	Total Qty			60	Each	34240.00	2054400.0
2	Supplying and Fixing.....mm dia class A GI pipe bracket up to 2.7 meters long terminated with a reducing collar of 40x25mm to which extra pipe of 175mm length is fixed for fixing MV/SV/MH/FTL street light fitting of all capacities on rail/RCC/wall/tubular pole, using suitable clamps, bolts ,nuts and wiring using suitable capacity wires. Using 32mm dia G.I.pipe			106	Each	1140.00	120840.0
3	Fabricating, supplying and erecting swaged tubular pole of height ...Mtr having three sections, and providing two coats of red oxide paint and finished with two coats of enameled paint of approved quality and colour and M.S. base plate of suitable size welded at the bottom of the pole(as per IS) and 40mm dia GI / flexible PVC pipe of 1 mtr length fitted to the heavy gauge polycarbonate control box including 5way connector of size 167x125x82mm for 7.5M pole/200x160x98mm for remaining length of pole with front opening cover, with locking arrangements and suitable capacity MCB / DP switch, The pole shall be erected in cement concrete work (1:2:4) including excavation and refilling of planting depth of the pole to the ground level and the coping CC shall be up to 0.6M above ground level as per IS 2713 - 7. Erection of heavy duty pole on Footpath / median						
	9Mt (5Mt Hb,165.1mm dia 4.85mm thick x2M Hm, 139.7mm dia 4.50mm thick x 2M Ht,114.3mm dia 3.65mm thick) as per IS 410 SP 32						
	JP PARK Main Gate Opp Road street lights						
	Chowdeshwari Bus stand to Shankar Nag Railway Gate opp JP Park Main Gate -LHS			30	Each		
	Chowdeshwari Bus stand to Shankar Nag Railway Gate opp JP Park Main Gate -RHS			30	Each		
	Total Qty			60	Each	15000.00	900000.0
4	Supplying of 1.1 KV LT UG cable having aluminum conductor PVC insulated, extruded inner sheathed, galvanized, steel strip (except 2CX10Sq.mm wire armoured) confirming to IS-3975:1990 (No. of Strip indicated in GTP) & extruded PVC outer sheathed armoured cable with specified IS-1554 Part-1:1988 & confirming to GTP of GROUP-A. 4 core 16 sqmm						
	JP PARK Main Gate Opp Road street lights						
	Chowdeshwari Bus stand to Shankar Nag Railway Gate opp JP Park Main Gate -LHS						
	LHS						

Description of work	No	Dimension L B D	Qty	unit	Rate Rs Ps	Amount Rs ps
POLE NO. & ADDRESS						
Pole 1 TO Pole No-2			26	Mtr		
2 TO 3			26	Mtr		
3 TO 4			28	Mtr		
4 TO 5			26	Mtr		
5 TO 6			26	Mtr		
6 TO 7			28	Mtr		
7 TO 8			28	Mtr		
8 TO 9			26	Mtr		
9 TO 10			28	Mtr		
10 TO 11			16	Mtr		
11 TO 12			55	Mtr		
12 TO 13			26	Mtr		
13 TO 14			28	Mtr		
14 TO 15			26	Mtr		
15 TO 16			26	Mtr		
16 TO 17			26	Mtr		
17 TO 18			26	Mtr		
18 TO 19			26	Mtr		
19 TO 20			28	Mtr		
20 TO 21			26	Mtr		
21 TO 22			28	Mtr		
22 TO 23			26	Mtr		
23 TO 24			26	Mtr		
24 TO 25			26	Mtr		
25 TO 26			30	Mtr		
26 TO 27			20	Mtr		
27 TO 28			15	Mtr		
28 TO 29			26	Mtr		
29 TO 30			26	Mtr		
30 TO 31			27	Mtr		
RHS						
1 TO 2			26	Mtr		
2 TO 3			26	Mtr		
3 TO 4			30	Mtr		
4 TO 5			28	Mtr		
5 TO 6			28	Mtr		
6 TO 7			26	Mtr		
7 TO 8			23	Mtr		
8 TO 9			25	Mtr		
9 TO 10			27	Mtr		
10 TO 11			31	Mtr		
11 TO 12			28	Mtr		
12 TO 13			28	Mtr		
13 TO 14			26	Mtr		
14 TO 15			26	Mtr		
15 TO 16			25	Mtr		
16 TO 17			26	Mtr		
17 TO 18			26	Mtr		
18 TO 19			30	Mtr		
19 TO 20			26	Mtr		
20 TO 21			24	Mtr		
21 TO 22			26	Mtr		
22 TO 23			25	Mtr		
23 TO 24			26	Mtr		

S No	Description of work	No	Dimension L B D			Qty	unit	Rate Rs Ps		Amount Rs ps	
	24 TO 25					27	Mtr				
	25 TO 26					27	Mtr				
	26 TO 27					22	Mtr				
	27 TO 28					22	Mtr				
	28 TO 29					29	Mtr				
	29 TO 30					26	Mtr				
	S/T-1					1566	Mtr				
	J.P. Park Sand pathway Lighting										
	J.P. PARK - From SWIMMING POOL Gate										
	On Sand PATHWAY										
	RHS										
	POLE NO. & ADDRESS										
	Pole No-1 TO Pole No-2					21	Mtr				
	2 TO 3					20	Mtr				
	3 TO 4					20	Mtr				
	4 TO 5					20	Mtr				
	5 TO 6					20	Mtr				
	6 TO 7					20	Mtr				
	7 TO 8					20	Mtr				
	8 TO 9					20	Mtr				
	9 TO 10					26	Mtr				
	10 TO 11					20	Mtr				
	11 TO 12					20	Mtr				
	12 TO 13					20	Mtr				
	13 TO 14					20	Mtr				
	14 TO 15					20	Mtr				
	15 TO 16					20	Mtr				
	16 TO 17					20	Mtr				
	17 TO 18					20	Mtr				
	18 TO 19					19	Mtr				
	19 TO 20					23	Mtr				
	20 TO 21					20	Mtr				
	21 TO 22					20	Mtr				
	22 TO 23					20	Mtr				
	23 TO 24					20	Mtr				
	24 TO 25					20	Mtr				
	25 TO 26					20	Mtr				
	26 TO 27					20	Mtr				
	27 TO 28					20	Mtr				
	28 TO 29					20	Mtr				
	29 TO 30					20	Mtr				
	30 TO 31					20	Mtr				
	31 TO 32					20	Mtr				
	32 TO 33					30	Mtr				
	33 TO 34					21	Mtr				
	34 TO 35					25	Mtr				
	35 TO 36					20	Mtr				
	36 TO 37					20	Mtr				
	37 TO 38					20	Mtr				
	38 TO 39					20	Mtr				
	39 TO 40					20	Mtr				
	40 TO 41					20	Mtr				
	41 TO 42					20	Mtr				
	42 TO 43					30	Mtr				
	43 TO 44					20	Mtr				

Description of work	No	Dimension L B D	Qty	unit	Rate	Rs	Amount
					Ps		Rs ps
44 TO 45			20	Mtr			
46 TO 47			20	Mtr			
47 TO 48			20	Mtr			
48 TO 49			20	Mtr			
49 TO 50			20	Mtr			
50 TO 51			20	Mtr			
51 TO 52			20	Mtr			
52 TO 53			20	Mtr			
52 TO 53			20	Mtr			
53 TO 54			20	Mtr			
54 TO 55			20	Mtr			
55 TO 56			20	Mtr			
56 TO 57			20	Mtr			
57 TO 58			20	Mtr			
58 TO 59			20	Mtr			
59 TO 60			20	Mtr			
60 TO 61			19	Mtr			
61 TO 62			20	Mtr			
62 TO 63			20	Mtr			
63 TO 64			20	Mtr			
64 TO 65			20	Mtr			
65 TO 66			20	Mtr			
66 TO 67			20	Mtr			
67 TO 68			20	Mtr			
68 TO 69			20	Mtr			
69 TO 70			15	Mtr			
70 TO 71			20	Mtr			
71 TO 72			20	Mtr			
72 TO 73			20	Mtr			
73 TO 74			20	Mtr			
74 TO 75			15	Mtr			
75 TO 76			15	Mtr			
76 TO 77			11	Mtr			
77 TO 78			21	Mtr			
78 TO 79			20	Mtr			
79 TO 80			20	Mtr			
80 TO 81			20	Mtr			
81 TO 82			20	Mtr			
82 TO 83			20	Mtr			
83 TO 84			20	Mtr			
84 TO 85			20	Mtr			
85 TO 86			20	Mtr			
86 TO 87			20	Mtr			
87 TO 88			20	Mtr			
88 TO 89			20	Mtr			
89 TO 90			20	Mtr			
90 TO 91			22	Mtr			
91 TO 92			20	Mtr			
92 TO 93			20	Mtr			
93 TO 94			19	Mtr			
93 TO 94			19	Mtr			
94 TO 95			17	Mtr			
95 TO 96			19	Mtr			
96 TO 97			19	Mtr			
97 TO 98			19	Mtr			

2005.12

2005.12